

BLANCLINE Solid Aluminum Panel is a type of non-combustible solid aluminum product painted with different finish and color for various application such as building facade and roofing as well as architectural signage.

#### **Product Feature:**

100% non-combustible to EN13501-1 A1 Standard

Good weather resistance for the exterior application

Broad color and finish for option

Easy Fabrication for bending, routing, curving, welding, perforation

Professional technical support and project solution provider

### **Product Application**



**Building Facade** 



Architectural Signage



# **Panel Property**

FR Rating	A1 LEVEL EN13501-1
PANEL THICKNESS	3MM
ALUMINUM ALLOY	3003/ 5052
WEIGHT( KG/m²)	8.16
Tensile Strength of Aluminum	155-160 MPa

## Size Tolerance

PANEL THICKNESS(mm)	+/-0.1
WIDTH(mm)	+/-2mm
LENGTH(mm)	+/-5mm
THERMAL EXPANSION	≤4.0*10-5/°C

# Finish Property

Coating Type	PVDF
Coating Thickness ( microns)	27+/-1
Pencil Hardness	≥2H
Rigidity of Finish	No crack with 90 degree bending
Temperature Resistance	- 50°C 80 °C
Impact Strength (kg/cm2	50kg/CM2. No Crack
Boiling water resistance	2H boiling without no change
Acid Resistance	Immerse 5%HCL for 24H without change
Alkali Resistance	Immerse 5% Na(OH)2 for 24H without change
Oil Resistance	Immerse with oil for 24H without change
Solvent Resistance	Clean 200 times with MEK without change
Cleaning Resistance	≥10, 000times with no change

# **Specification Available**

Thickness	2mm	3mm	4mm
Available	$\checkmark$	√	√





#### **Metallic Color**



8700 Copper metallic



8711 Champagne metallic



8714 Sea green metallic



8762 Brushed silver



8781 Zinc light grey



corten II 8771

## Solid Color



8719 YELLOW



8727 BLUE



8728 RED



8730 BLACK



GOLD MIRROR



RAL7012



SILVER MIRROR 8763



8731 Bright silver metallic

### **Environmental Obligation**

We try our best to reduce the use of plastic material for the product packaging to minimum for environmental protection and to comply with the packaging regulation of our clients.

#### **Product Recylability**

The BLANCLINE solid aluminum sheet is 100% recyclable.

The BLANCLINE solid aluminum sheet product is in compliance with REACH AND ROHS STANDARD, and the surface finish does not contain lead, cadmium, chromium or mercury.





